interstuhl

Technical data sheet 1S026

Specification Swivel chair low, upholstered, FLEXTECH

Dimensions in mm			
	Seat:	H:	400-525
		W:	500
		D:	470
	Total:	H:	1125
		W (no ArmR):	510
		W (ArmR):	710
		D:	630
Packaging data	Weight:	kg	16,60
	Volume:	m³	0,64



Basic equipment		Benefit
Plastic parts	Colour maintained throughout, black.	Colourfast and resistant to deep scratches and abrasions.
Backrest	Back low, upholstered, 30 mm foam. Height adjustable backrest comfortable and easy to handle according to the individual requirements of each person, also when sitting. With an adjustment area of 5 positions (each 12 mm). Backrest locking 4 positions.	
Upholstery	Seat upholstery: 55 mm foam, upholstery is unglued, ensuring optimal air movement, breathable.	Great seating comfort.
Mechanism	Synchronous mechanism lockable thanks to FLEXTECH Inside. Large opening angle of up to max. 118° between seat and backrest with additional side tilt of 4°.	Synchronous mechanisms of Interstuhl are designed in a way that they help to support optimally the body in every seating position and at the same time they relieve the chang between the different seating positions. This is also aided by FLEXTECH and enables dynamic 3D sitting.
Seat height adjustment	Seat height adjustment infinitely variable from 405 - 530 mm. Self-supporting safety gas spring.	Even people outside the DIN range (i.e. taller than 192cm and smaller than 151cm) will sit in the most ergonomic way.
Weight Adjustment	From 45 - 120 kg, adjustable within 7 steps.	Individual adjustment of the backrest and the back pressure to the weight and height of the user.
Seat inclination	Integrated seat tilt feature thanks to FLEXTECH Inside.	The inclination means that the pelvis is at a steeper angle and the spine is straightened, thus preventing rounding of the back.
Castors Ø 65 mm	Hard double castors, black, load dependent braked, for soft floors. (Acc. to DIN EN 12529).	The chair does not roll away in an off-loaded situation, minimum risk of accident.
Base	Colour maintained throughout polyamide base, black.	Colourfast and resistant to deep scratches and abrasions.
Materials	All materials are segregated and recyclable.	Environmentally friendly.
Standards	EN 1335 for office swivel chairs and office swivel armchairs. GS-Symobl for tested safety, tested for contaminants, Ergonomics approved.	High quality product and great comfort.

interstuhl

Technical data sheet 1S026

Specification Swivel chair low, upholstered, FLEXTECH

Warranty and return			ty. Complete return and	Exchange of parts free of charge within the guaranteed period.
Certification		9001:2008, VO (Environmental n ISO 14001:2009 Commitment to s	ment system DIN EN ISO EG) No. 1221/2009 (EMAS), nanagement system DIN EN , OHSAS, EcoVadis gold, sustainability. Quality Office, na e3 level Platin.	High quality product.
	volume.		0,04	" A "
r aonaging aata	Volume:	m ³	0,64	
Packaging data	Weight:	kg	16,60	
		D:	630	T .
		W (ArmR):	710	
		W (no ArmR):	510	
	Total:	H:	1125	
	-	D:	470	ТТ
		W:	500	
	Seat:	H:	400-525	
Dimensions in mm				

Disassembly instructions are available upon request for any interstuhl product

interstuhl

Technical data sheet 1S026

Packaging data

Specification Swivel chair low, upholstered, FLEXTECH

Weight:

Volume:

Dimensions in mm		
	Seat:	H:
		W:
		D:
	Total:	H:
		W (no ArmR):

Į	J
A	

double castors, load dependent braked, for floors or glides hard/soft. (Acc. to DIN EN 9). hed aluminium base. idual adjustment of the seat depth, 60 mm stment.	The chair does not roll away in an off-loaded position, minimum risk of accident. Very high stability, long service life. High-quality look.
idual adjustment of the seat depth, 60 mm stment.	Very high stability, long service life. High-quality look.
stment.	
·····	
ht adjustable (14 mm).	Through a mechanical rotation the lumbar support which is integrated in the back upholstery will be adjusted horizontally and will be adapted to the corporal conditions of the user. In that way an individual support in the lumbar area is possible.
-armrests, height and width adjustable, soft ce. 4D T-armrest, height, width and depth stable, rotatable, soft surface.	The armrests relieve the neck and shoulder muscles.
ous fabric and leather options available.	Individual design.
	bus fabric and leather options available. hanger polyamide, black.

510

710

630

16,60

0,64

W (ArmR):

D:

kg

m³

Disassembly instructions are available upon request for any interstuhl product